

Exercice G.2: Animation : Différents objets en mouvement


Reprenez l'exercice F3 (*Animation : Boules en mouvement*), puis modifiez-le en suivant les étapes que voici :

Étape 4

Dérivez de **MovingBall** les classes **EmoSmile**, **EmoSad**, **EmoBigSmile**, **EmoSurprised** qui représentent des émoticônes (Smileys) avec différentes expressions. Tous les émoticônes ont la même couleur de fond (jaune) et les mêmes yeux. (Soyez créatifs ! ;-)

Remarque : Consultez l'aide sur les méthodes **drawArc** et **fillArc**.

Testez votre programme en produisant aléatoirement des balles et différents types d'émoticônes. Profitez au mieux des connaissances que vous avez avec de l'OOP.



```
1  
2 import java.awt.Color;  
3 import java.awt.Graphics;  
4  
5 public class Ball  
6 {  
7     private int x;  
8     private int y;  
9     private int radius;  
10    private int xStep;  
11    private int yStep;  
12  
13    public Ball(int x, int y, int radius, int xStep, int yStep) {  
14        this.x = x;  
15        this.y = y;  
16        this.radius = radius;  
17        this.xStep = xStep;  
18        this.yStep = yStep;  
19    }  
20  
21    public int getX()  
22    {  
23        return x;  
24    }  
25  
26    public int getY()  
27    {  
28        return y;  
29    }  
30  
31    public int getRadius()  
32    {  
33        return radius;  
34    }  
35  
36    public int getxStep() {  
37        return xStep;  
38    }  
39  
40    public int getyStep() {  
41        return yStep;  
42    }  
43  
44    public void setX(int pX)  
45    {  
46        x = pX;  
47    }  
48  
49    public void setY(int pY)  
50    {  
51        y = pY;  
52    }
```

```
53
54     public void setRadius(int pRadius)
55     {
56         radius = pRadius;
57     }
58
59     public void draw(Graphics g)
60     {
61         g.setColor(Color.blue);
62         g.drawOval(x-radius, y-radius, radius*2+1, radius*2+1);
63     }
64
65     public void step(int width, int height)
66     {
67         if(x+xStep+radius > width) xStep=-xStep;
68         if(x+xStep-radius < 0) xStep=-xStep;
69         if(y+yStep+radius > height) yStep=-yStep;
70         if(y+yStep-radius < 0) yStep=-yStep;
71         x=x+xStep;
72         y=y+yStep;
73     }
74
75     public String toString() {
76         return "Ball{" + "x=" + x + ", y=" + y + ", radius=" + radius + ", "
77         + "xStep=" + xStep + ", yStep=" + yStep + '}';
78     }
79
80 }
81
82
83 }
```

```
1 import java.awt.Graphics;
2 import java.util.ArrayList;
3
4 public class Balls
5 {
6     private ArrayList <Ball> alBalls = new ArrayList<>();
7     private ArrayList <Emo> alEmos = new ArrayList<>();
8
9     public void add(Ball ball)
10    {
11        alBalls.add(ball);
12    }
13
14
15    public Object[] toArray()
16    {
17        return alBalls.toArray();
18    }
19
20    public void draw(Graphics g)
21    {
22        for(int i=0;i<alBalls.size();i++)
23        {
24            alBalls.get(i).draw(g);
25        }
26    }
27
28    public Ball get(int i)
29    {
30        return alBalls.get(i);
31    }
32
33    public void clear()
34    {
35        alBalls.clear();
36    }
37
38    public void step(int width, int height)
39    {
40        for(int i=0; i<alBalls.size();i++)
41        {
42            alBalls.get(i).step(width, height);
43        }
44    }
45
46 }
47
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 public class DrawPanel extends javax.swing.JPanel {
5
6     private Ball ball;
7     private Balls balls;
8
9
10    public DrawPanel() {
11        initComponents();
12    }
13
14    public void setBall(Ball pBall)
15    {
16        ball = pBall;
17    }
18
19    public void setBalls(Balls pBalls)
20    {
21        balls = pBalls;
22    }
23
24    public void paintComponent(Graphics g)
25    {
26        g.setColor(Color.white);
27        g.fillRect(0, 0, getWidth(), getHeight());
28        if(balls!=null)
29        {
30            balls.draw(g);
31        }
32    }
33
34    /**
34     * This method is called from within the constructor to initialize the
35     form.
36     * WARNING: Do NOT modify this code. The content of this method is
37     always
38     * regenerated by the Form Editor.
39     */
40     @SuppressWarnings("unchecked")
41
42     // Variables declaration - do not modify//GEN-BEGIN:variables
43     // End of variables declaration//GEN-END:variables
44 }
45
46
47
48
49
50
51
52
53
54
55
56
57
58 }
59
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 /*
5  * To change this license header, choose License Headers in Project
6  Properties.
7  * To change this template file, choose Tools | Templates
8  * and open the template in the editor.
9 */
10
11 /**
12 *
13 * @author luxformel
14 */
15 public abstract class Emo extends Ball
16 {
17     public Emo(int x, int y, int radius, int xStep, int yStep)
18     {
19         super(x, y, radius, xStep, yStep);
20     }
21
22     public void draw(Graphics g)
23     {
24         g.setColor(Color.yellow);
24         g.fillOval(super.getX()-super.getRadius(), super.getY()-super.
25 getRadius(), super.getRadius()*2+1, super.getRadius()*2+1);
26         g.setColor(Color.white);
26         g.fillOval(super.getX()-super.getRadius()*2/3, super.getY()-super.
27 getRadius()/3*2, super.getRadius()*2/5, super.getRadius()*2/5);
27         g.fillOval(super.getX()+super.getRadius()*3/10, super.getY()-super.
28 getRadius()/3*2, super.getRadius()*2/5, super.getRadius()*2/5);
29         g.setColor(Color.black);
29         g.drawOval(super.getX()-super.getRadius()*2/3+1, super.getY()-super.
30 getRadius()/3*2, super.getRadius()*2/5+1, super.getRadius()*2/5+1);
30         g.drawOval(super.getX()+super.getRadius()*3/10+1, super.getY()-
31 super.getRadius()/3*2, super.getRadius()*2/5+1, super.getRadius()*2/5+1);
32         g.setColor(Color.blue);
32         g.fillOval(super.getX()-super.getRadius()/3*5/3, super.getY()-super.
33 getRadius()*3/5, super.getRadius()*2/8, super.getRadius()*2/8);
33         g.fillOval(super.getX()+super.getRadius()*4/10, super.getY()-super.
34 getRadius()*3/5, super.getRadius()*2/8, super.getRadius()*2/8);
35     }
36 }
37
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 /*
5  * To change this license header, choose License Headers in Project
6  Properties.
7  * To change this template file, choose Tools | Templates
8  * and open the template in the editor.
9 */
10
11 /**
12 *
13 * @author luxformel
14 */
15 public class EmoBigSmile extends Emo
16 {
17     public EmoBigSmile(int x, int y, int radius, int xStep, int yStep)
18     {
19         super(x, y, radius, xStep, yStep);
20     }
21
22     public void draw(Graphics g)
23     {
24         super.draw(g);
25         g.setColor(Color.black);
26         g.fillArc(super.getX()-super.getRadius()/2, super.getY()+super.
27         getRadius()/40, super.getRadius(), super.getRadius()*2/3, 0, -180);
28     }
29 }
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 /*
5  * To change this license header, choose License Headers in Project
6  Properties.
7  * To change this template file, choose Tools | Templates
8  * and open the template in the editor.
9 */
10
11 /**
12 *
13 * @author luxformel
14 */
15 public class EmoNaughty extends Emo
16 {
17     private boolean isTongueOut = false;
18
19     public EmoNaughty(int x, int y, int radius, int xStep, int yStep)
20     {
21         super(x, y, radius, xStep, yStep);
22     }
23
24     public void draw(Graphics g)
25     {
26         super.draw(g);
27         g.setColor(Color.black);
27         g.drawLine(super.getX()-super.getRadius()/2, super.getY()+super.
27 getRadius()/3,super.getX()+super.getRadius()/2, super.getY()+super.
28 getRadius()/3);
29     }
30 }
31
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 /*
5  * To change this license header, choose License Headers in Project
6  Properties.
7  * To change this template file, choose Tools | Templates
8  * and open the template in the editor.
9 */
10
11 /**
12 *
13 * @author luxformel
14 */
15 public class EmoSad extends Emo
16 {
17     public EmoSad(int x, int y, int radius, int xStep, int yStep)
18     {
19         super(x, y, radius, xStep, yStep);
20     }
21
22     public void draw(Graphics g)
23     {
24         super.draw(g);
25         g.setColor(Color.black);
26         g.drawArc(super.getX()-super.getRadius()/3*5/3,super.getY()+super.
27         getRadius()/20, super.getRadius(),super.getRadius()*2/3,0,180);
28     }
29 }
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 /*
5  * To change this license header, choose License Headers in Project
6  Properties.
7  * To change this template file, choose Tools | Templates
8  * and open the template in the editor.
9 */
10
11 /**
12 *
13 * @author luxformel
14 */
15 public class EmoSmile extends Emo
16 {
17     public EmoSmile(int x, int y, int radius, int xStep, int yStep)
18     {
19         super(x, y, radius, xStep, yStep);
20     }
21
22     public void draw(Graphics g)
23     {
24         super.draw(g);
25         g.setColor(Color.black);
26         g.drawArc(super.getX()-super.getRadius()/3*5/3,super.getY()+super.
27         getRadius()/20, super.getRadius(),super.getRadius()*2/3,0,-180);
28     }
29 }
```

```
1 import java.awt.Color;
2 import java.awt.Graphics;
3
4 /*
5  * To change this license header, choose License Headers in Project
6  Properties.
7  * To change this template file, choose Tools | Templates
8  * and open the template in the editor.
9 */
10
11 /**
12 *
13 * @author luxformel
14 */
15 public class EmoSurprised extends Emo
16 {
17     public EmoSurprised(int x, int y, int radius, int xStep, int yStep)
18     {
19         super(x, y, radius, xStep, yStep);
20     }
21
22     public void draw(Graphics g)
23     {
24         super.draw(g);
25         g.setColor(Color.black);
25         g.fillOval(super.getX()-super.getRadius()/5, super.getY()+super.
26         getRadius()/5, super.getRadius()/2, super.getRadius()/2);
27     }
28 }
29
```

```
1 import javax.swing.Timer;
2
3 public class MainFrame extends javax.swing.JFrame {
4
5     Ball ball = null;
6     Balls balls = new Balls();
7     private int xDirection=1;
8     private int step=5;
9     private int speed=10;
10    private int yDirection=1;
11    Timer timer;
12
13    public MainFrame() {
14        initComponents();
15        drawPanel.setBalls(balls);
16        drawPanel.setBall(ball);
17        timer= new Timer(speed, stepB.getActionListeners()[0]);
18        ballList.setListData(balls.toArray());
19        updateView();
20    }
21
22    public void updateView()
23    {
24        ballList.setListData(balls.toArray());
25        drawPanel.repaint();
26    }
27
28    @SuppressWarnings("unchecked")
29
30    private void stepBActionPerformed(java.awt.event.ActionEvent evt) {
31        balls.step(drawPanel.getWidth(), drawPanel.getHeight());
32        drawPanel.repaint();
33        updateView();
34    }
35
36    private void startStopBActionPerformed(java.awt.event.ActionEvent evt)
37    {
38        if(startStopB.getText().equals("Start"))
39        {
40            timer.start();
41            startStopB.setText("Stop");
42        }
43        else
44        {
45            timer.stop();
46            startStopB.setText("Start");
47        }
48        updateView();
49    }
50
51    private void addBActionPerformed(java.awt.event.ActionEvent evt) {
```

```

147     int radius = 50;//(int)(Math.random()*(50-20+1))+20;
148     int x = (int)(Math.random()*((drawPanel.getWidth()-radius)-0+1))+0;
149     int y = (int)(Math.random()*((drawPanel.getWidth()-radius)-0+1))+0;
149     while(x+radius*2>=drawPanel.getWidth() || y+radius*2>=drawPanel.
150 getHeight() || x-radius*2<=0 || y-radius*2<=0)
151     {
152         x = (int)(Math.random()*((drawPanel.getWidth()-radius)-0+1))+0;
153         y = (int)(Math.random()*((drawPanel.getWidth()-radius)-0+1))+0;
154     }
155     int xStep =(int)(Math.random()*(8-1+1))+1;
156     int yStep =(int)(Math.random()*(8-1+1))+1;
157     int random = (int)(Math.random()*(5-1+1))+1;
158     if(random==1)
159     {
160         balls.add(new Ball(x,y,radius,xStep,yStep));
161     }
162     else if(random==2)
163     {
164         balls.add(new EmoSmile(x,y,radius,xStep,yStep));
165     }
166     else if(random==3)
167     {
168         balls.add(new EmoSad(x,y,radius,xStep,yStep));
169     }
170     else if(random==4)
171     {
172         balls.add(new EmoBigSmile(x,y,radius,xStep,yStep));
173     }
174     else
175     {
176         balls.add(new EmoSurprised(x,y,radius,xStep,yStep));
177     }
178 //balls.add(new EmoNaughty(x,y,radius,xStep,yStep));
179     updateView();
180 }
181
182 private void clearBActionPerformed(java.awt.event.ActionEvent evt) {
183     balls.clear();
184     updateView();
185 }
186
187 /**
188 * @param args the command line arguments
189 */
190 public static void main(String args[]) {
191     /* Set the Nimbus look and feel */
192
193     /* Create and display the form */
194     java.awt.EventQueue.invokeLater(new Runnable() {
195         public void run() {
196             new MainFrame().setVisible(true);
197         }
198     }

```

```
219      });
220  }
221
222 // Variables declaration - do not modify//GEN-BEGIN:variables
223 private javax.swing.JButton addB;
224 private javax.swing.JList ballList;
225 private javax.swing.JButton clearB;
226 private DrawPanel drawPanel;
227 private javax.swing.JScrollPane jScrollPane1;
228 private javax.swing.JButton startStopB;
229 private javax.swing.JButton stepB;
230 // End of variables declaration//GEN-END:variables
231 }
232
```